

Safety Data Sheet

according to Regulation (EC) No 1907/2006

AVISTA peer EVO PRIME ATF GER

Revision: 07.07.2025

Product code: 173644

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

AVISTA peer EVO PRIME ATF GER

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Automatic gear oil

Uses advised against

1.3. Details of the supplier of the safety data sheet

Company name:	AVISTA OIL Deutschland GmbH	
Street:	Bahnhofstr. 82	
Place:	D-31311 Uetze	
Telephone:	+49 5177-850	
E-mail:	msds@avista-oil.de	
Contact person:	Product management	Telephone: +49 5177-178 (Only available during office hours.)
E-mail:	msds@avista-oil.de	
Internet:	www.avista-oil.de	

1.4. Emergency telephone number:

CHEMTREC: +1-703-527-3887 (international, 24h aday / 7 days a week)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273	Avoid release to the environment.
P501	Dispose of containers/content in accordance with the legal regulations of the waste management.

Special labelling of certain mixtures

EUH208 Contains 1,2-Propanediol, 3-amino-, N,N-dicoco alkyl derivs., 1-(tert-Dodecylthio)propan-2-ol. May produce an allergic reaction.

2.3. Other hazards

Product can form a film on the water surface that can prevent oxygen exchange. Refer to section 11, 12 and 15

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

AVISTA peer EVO PRIME ATF GER

Revision: 07.07.2025

Product code: 173644

Page 2 of 11

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified			30 - < 35 %
	265-158-7	649-468-00-3	01-2119487077-29	
	Asp. Tox. 1; H304			
72623-87-1	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil - unspecified			10 - < 15 %
	276-738-4	649-483-00-5	01-2119474889-13	
	Asp. Tox. 1; H304			
	Mineral Oil			5 - < 10 %
	Asp. Tox. 1; H304			
18760-44-6	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich			1 - < 5 %
	800-172-4		01-2119969520-35	
	Aquatic Chronic 2; H411			
-	Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs.			< 1 %
	471-920-1		01-0000019770-68	
	Skin Sens. 1B; H317			
-	1,2-Propanediol, 3-amino-, N,N-dicoco alkyl derivs.			< 1 %
	482-000-4		01-0000020142-86	
	Skin Sens. 1B, Aquatic Chronic 3; H317 H412			
67124-09-8	1-(tert-Dodecylthio)propan-2-ol			< 1 %
	266-582-5		01-2119953277-30	
	Skin Sens. 1B, Aquatic Acute 1, Aquatic Chronic 1; H317 H400 H410			
29385-43-1	Methyl-1H-benzotriazol			< 1 %
	249-596-6		01-2119979081-35	
	Repr. 2, Acute Tox. 4, Aquatic Chronic 2; H361d H302 H411			
Polymer	Benzene, polypropene derivatives, sulfonated, calcium salts			< 1 %
	Skin Sens. 1B; H317			
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated)alkyl imino) diethanol			< 0.1 %
	620-540-6		01-2119510877-33	
	Acute Tox. 4, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H400 H410			

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

AVISTA peer EVO PRIME ATF GER

Revision: 07.07.2025

Product code: 173644

Page 3 of 11

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
-	471-920-1	Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs.	< 1 %
		Skin Sens. 1B; H317: >= 9,4 - 100	
29385-43-1	249-596-6	Methyl-1H-benzotriazol	< 1 %
		oral: LD50 = 720 mg/kg	
Polymer		Benzene, polypropene derivatives, sulfonated, calcium salts	< 1 %
		Skin Sens. 1B; H317: >= 10 - 100	
1218787-32-6	620-540-6	2,2'-(C16-18 (evennumbered, C18 unsaturated)alkyl imino) diethanol	< 0.1 %
		inhalation: LC50 = 220 mg/l (vapours); oral: LD50 = 500 mg/kg Skin Corr. 1C; H314: >= 10 - 100 Skin Irrit. 2; H315: >= 10 - < 10 Eye Irrit. 2; H319: >= 10 - < 10 Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1	

Further Information

The mixture includes the substance with the CAS 64742-54-7 or the substance with the CAS 72623-87-1.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.
Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove casualty to fresh air and keep warm and at rest.
Get medical advice/attention if you feel unwell.

After contact with skin

Immediately remove any contaminated clothing, shoes or stockings.
After contact with skin, wash immediately with plenty of water and soap.
In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

After ingestion

Do NOT induce vomiting. Call a physician immediately.
Observe risk of aspiration if vomiting occurs.

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

First aider: Pay attention to self-protection!

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam, Carbon dioxide (CO₂), Extinguishing powder, Water spray jet.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

The formation of combustible vapours is possible at temperatures above: Flash point.
In case of fire may be liberated:

Safety Data Sheet

according to Regulation (EC) No 1907/2006

AVISTA peer EVO PRIME ATF GER

Revision: 07.07.2025

Product code: 173644

Page 4 of 11

Hydrocarbons, Pyrolysis products, toxic, Carbon dioxide (CO₂), Carbon monoxide, Hydrogen sulphide (H₂S), Nitrogen oxides (NO_x), Phosphorus oxides.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Wear full chemical protective clothing.

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Additional information

B (Fires of liquids or liquid turning substances)

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Special danger of slipping by leaking/spilling product. Conditions to avoid:

Inhalation. Keep away from sources of ignition - No smoking. Avoid contact with eyes and skin.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up**For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

All work processes must always be designed so that the following is excluded: Generation/formation of mist.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Handle and open container with care.

Advice on protection against fire and explosion

Take precautionary measures against static discharges.

Advice on general occupational hygiene

Avoid contact with skin, eyes and clothes. Do not put any product-impregnated cleaning rags into your trouser pockets. Remove contaminated, saturated clothing immediately. Wash hands before breaks and after work.

When using do not eat, drink or smoke. Separate storage of work clothes.

Further information on handling

The formation of combustible vapours is possible at temperatures above: Flash point

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep/Store only in original container.

Hints on joint storage

Keep away from: Oxidising agent, strong

Further information on storage conditions

Do not expose to temperatures above 50 °C.

Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

AVISTA peer EVO PRIME ATF GER

Revision: 07.07.2025

Product code: 173644

Page 5 of 11

see product information

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified			
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	2,7 mg/m ³
Worker DNEL, long-term		inhalation	local	5,58 mg/m ³
	Mineral Oil			
Worker DNEL, long-term		inhalation	local	5,58 mg/m ³
Worker DNEL, long-term		inhalation	systemic	2,73 mg/m ³
Consumer DNEL, long-term		oral	systemic	0,74 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term		inhalation	local	1,19 mg/m ³
18760-44-6	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich			
Consumer DNEL, long-term		dermal	systemic	125 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	350 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	24,7 mg/m ³
Consumer DNEL, long-term		inhalation	systemic	4,35 mg/m ³
29385-43-1	Methyl-1H-benzotriazol			
Worker DNEL, long-term		dermal	systemic	0,5 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	8,8 mg/m ³

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. EN 166

Hand protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Replace when worn.

Suitable material:

Preventive skin protection by protective skin ointment.

Skin protection

The type of personal protective equipment must be selected depending on the concentration and quantity of the hazardous substance at the workplace. For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes).

Chemical resistant safety shoes

Safety Data Sheet

according to Regulation (EC) No 1907/2006

AVISTA peer EVO PRIME ATF GER

Revision: 07.07.2025

Product code: 173644

Page 6 of 11

Respiratory protection

Generation/formation of mist: Filtering device with filter or ventilator filtering device of type:A2 P2

Environmental exposure controls

Technical measures for preventing exposition

Organisational measures for preventing exposition

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid		
Colour:	light yellow - light brown		
Odour:	characteristic		
			Test method
Melting point/freezing point:		not determined	
Boiling point or initial boiling point and boiling range:		>320 °C	
Flammability:		not determined	
Lower explosion limits:		0,6 vol. %	
Upper explosion limits:		6,5 vol. %	
Flash point:		>200 °C	DIN ISO 2592
Auto-ignition temperature:		not determined	
Decomposition temperature:		not applicable	
pH-Value:		not applicable	
Viscosity / kinematic: (at 40 °C)		40 mm ² /s	ASTM D7279
Water solubility:		practically insoluble	
Solubility in other solvents		not determined	
Partition coefficient n-octanol/water:		not determined	
Vapour pressure:		not determined	
Density (at 15 °C):		0,825-0,865 g/cm ³	DIN EN ISO 12185
Relative vapour density:		not determined	
Particle characteristics:		not applicable	

9.2. Other information

Information with regard to physical hazard classes

Explosive properties
none

Other safety characteristics

Pour point: <-42 °C ASTM D7346

Further Information

none

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

The formation of combustible vapours is possible at temperatures above: Flash point

Safety Data Sheet

according to Regulation (EC) No 1907/2006

AVISTA peer EVO PRIME ATF GER

Revision: 07.07.2025

Product code: 173644

Page 7 of 11

10.4. Conditions to avoid

Oxidising agent, strong

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

Refer to section 5.3.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
29385-43-1	Methyl-1H-benzotriazol				
	oral	LD50 720 mg/kg			
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated)alkyl imino) diethanol				
	oral	LD50 500 mg/kg	Ratte		
	inhalation (1 h) vapour	LC50 220 mg/l	ratte		

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains 1,2-Propanediol, 3-amino-, N,N-dicoco alkyl derivs., 1-(tert-Dodecylthio)propan-2-ol. May produce an allergic reaction.

Frequently or prolonged contact with skin may cause dermal irritation.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

AVISTA peer EVO PRIME ATF GER

Revision: 07.07.2025

Product code: 173644

Page 8 of 11

Further information

There are no data available on the mixture itself.

SECTION 12: Ecological information
12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified					
	Acute fish toxicity	LC50 >100 mg/l	96 h	Pimephales promelas	OECD 203	
	Acute algae toxicity	ErC50 >100 mg/l	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50 >10000 mg/l	48 h	Daphnia magna	OECD 202	
	Fish toxicity	NOEC >1000 mg/l	14 d	Oncorhynchus mykiss	QSAR	
	Crustacea toxicity	NOEC 10 mg/l	21 d	Daphnia magna	OECD 211	
29385-43-1	Methyl-1H-benzotriazol					
	Acute fish toxicity	LL50 180 mg/l	96 h	Danio rerio (zebrafish)		
	Acute algae toxicity	ErC50 75 mg/l	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EL50 8,58 mg/l	48 h	Daphnia magna (Big water flea)		
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated)alkyl imino) diethanol					
	Acute fish toxicity	LC50 0,1 mg/l	96 h	Danio rerio (zebrafish)		
	Acute algae toxicity	ErC50 0,0538 mg/l	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 0,043 mg/l	48 h	Daphnia magna (Big water flea)		
	Algae toxicity	NOEC 0,0156 mg/l	72 d	Pseudokirchneriella subcapitata		
	Crustacea toxicity	NOEC 0,0107 mg/l	21 d	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	EC50 167 mg/l ()	3 h			

12.2. Persistence and degradability

There are no data available on the mixture itself.

Not readily biodegradable (according to OECD criteria). Data apply to the main component.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
1218787-32-6	2,2'-(C16-18 (evennumbered, C18 unsaturated)alkyl imino) diethanol			
	OECD 301D	61-65%	28	
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

AVISTA peer EVO PRIME ATF GER

Revision: 07.07.2025

Product code: 173644

Page 9 of 11

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Do not allow uncontrolled discharge of product into the environment.

Further information

There are no data available on the mixture itself.
Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

The allocation of waste code numbers/ descriptions shall be carried out in accordance with the List of Wastes Resolution 2000/532/EC on an industry- and process-specific basis.

List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Packaging containing oil is classified as packaging of pollutant-containing products. They are therefore not subject to collection by nationwide packaging take-back systems.

Oil packaging that has been emptied down to the residues that usually remain in it is subject to take-back by manufacturers and distributors.

Recommendation for disposal: Contacting the supplier / contractual partner.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

AVISTA peer EVO PRIME ATF GER

Revision: 07.07.2025

Product code: 173644

Page 10 of 11

- 14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

- 14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

Additional information

Observe in addition any national regulations!

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,7,8,9,11,15.

Abbreviations and acronyms

Acute Tox. 4: Acute toxicity, hazard category 4

Asp. Tox. 1: Aspiration hazard, hazard category 1

Skin Corr. 1C: Skin corrosion, sub-category 1C

Eye Dam. 1: Serious eye damage, hazard category 1

Skin Sens. 1B: Skin sensitisation, hazard category 1B

Repr. 2: Reproductive toxicity, hazard category 2

Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

AVISTA peer EVO PRIME ATF GER

Revision: 07.07.2025

Product code: 173644

Page 11 of 11

H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains 1,2-Propanediol, 3-amino-, N,N-dicoco alkyl derivs., 1-(tert-Dodecylthio)propan-2-ol. May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)