

AVISTA BRAKE FLUID DOT 4 LV

BRAKE FLUID.

AVISTA BRAKE FLUID DOT 4 LV (low viscosity) is recommended for brake and clutch systems of vehicles requiring DOT 3 or DOT 4 synthetic brake fluid. Use in vehicles with ABS brake systems is also recommended. AVISTA BRAKE FLUID DOT 4 LV is based on polyglycol ether and has a low viscosity. The product is hygroscopic and must therefore be stored in tightly closed containers. After use, the containers must be closed again immediately.

Brake fluids can cause damage to the vehicle paintwork!

CHARACTERISTICS / APPLICATION BENEFITS

- good wear protection
- excellent corrosion protection and thermal stability
- synthetic fluid
- compatible with comparable brake fluids
- wide operating temperature range down to – 40°C

RECOMMENDATIONS

- FMVSS Nr. 116 DOT 3
- FMVSS Nr. 116 DOT 4
- SAE J 1704
- ISO 4925 Class 6

TYPICAL CHARACTERISTICS

The given data are typical data.)

Parameter	Method	Unit	
Density @ 20°C	DIN 51757	g/cm ³	1.05
Kin. Viscosity @ -40°C	ISO 3104	mm ² /s	max. 700
Dry Boiling Point	House method	°C	min. 265
Wet Boiling Point	House method	°C	min. 170

We reserve the right to change the general characteristics of our product so that our customers can benefit from the latest technological advances. (VS-Number 2)